

## Product Data Sheet

### Product Description

- Ice and snow melt the moment they come in contact with IceAway Max™, which offers one of the lowest melting temperatures available. A powerful, self-initiating chemical reaction generates heat, so melting occurs even in exceptionally cold weather.
- Melts ice and snow down to -25°F/-32°C.

### Physical Properties

Bulk Density - 50 lbs/ft<sup>3</sup>



### Method of Analysis

Testing is from Compass Minerals internal quality control procedures.

*Typical and specifications are based on the previous year's historical data:*

Chemical Analysis				
Constituent			Typical	Specification
Calcium Chloride Pellets	CaCl <sub>2</sub>	(%)	100.00	73 Min

Typical Screen Data			
U.S.S. Mesh	Tyler Mesh	Open (Inches)	Typical Retained %
4	4	0.187	0.00
8	8	0.0937	74.30
12	10	0.0666	23.30
16	14	0.0464	2.30
Pan	Pan		

### Packaging

### Palletization

UPC Code	Product Code	New Product Code	Bag Size (Lbs.)	Cubic Feet per Bag (Ft <sup>3</sup> )	Dimensions (L x W x D)	Bag Material	Units per Pallet	Dimensions (W" x L" x H")	Weight (Lbs.)	Pallet Pattern
073841-506505	50650		50	0.70	25 x 16.5 x 4.5	Poly	48	48 x 40 x 60	2515	8 x 6

**Compass Minerals**  
9900 West 109th Street – Suite 100  
Overland Park, Kansas 66210  
Ph: 800-755-7258 Fax: 800-359-7258

*This information is based on our present state of knowledge and is intended to provide general notes on the product(s) supplied by us and their uses. The information should not be construed as a specific property promise or guarantee of the product(s).*